







TIMELESS ELEGANCE

This is the radiator without limits. It can heat any place in your home, as well as giving elegance to your space with the futuristic look of stainless steel.





adonis

material	finish	electric version	wall installation	warranty
stainless steel	satin polished	not available	vertical	10 years









max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
ADO024010000509	240	1000	77	240	5	960	200	7,7	1,7	1386	349	406
ADO024015000509	240	1500	77	240	5	1460	200	10,3	2,4	2007	506	588
ADO024018000509	240	1800	77	240	5	1760	200	12,1	2,8	2382	600	698
ADO024020000509	240	2000	77	240	5	1960	200	13,2	3	2631	663	771

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

ADONIS

The contents of this document are property of Termosan® and could not be copied, reproduced or disclosed to a third party without written consent of the proprietor.




carisa[®]
design radiator

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight
	W	H	D	C		S	L	
ADO024010000509	240	1000	77	240	5	960	200	7,7
ADO024015000509	240	1500	77	240	5	1460	200	10,3
ADO024018000509	240	1800	77	240	5	1760	200	12,1
ADO024020000509	240	2000	77	240	5	1960	200	13,2