

amazon



WAVES OF WARMTH





A classic touch combined with an elegant design. The omega-shaped bars of Amazon provide a distinguished difference.



technical specs page 98



amazon



material	finish	electric version	wall installation	warranty
steel	RAL painted chrome plated	300 W 600 W 900 W	vertical	5 years

max. working pressure: 10 bar
max. working temperature: 95°C
all dimensions are in mm.
connections 1/2"

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER (Painted)			THERMAL POWER (Chrome Plated)		
	W	H	D	C		S	L	kg.	lit.	btu	k/cal	watt	btu	k/cal	watt
AMA0600068814	600	688	70	560	14	545	440	5,8	3,6	1212	305	355	908	229	266
AMA0750068814	750	688	80	710	14	545	590	6,9	4,2	1471	371	431	1103	278	323
AMA0600111822	600	1118	70	560	22	975	440	9,1	5,7	1922	484	563	1441	363	422
AMA0750111822	750	1118	80	710	22	975	590	10,1	6,7	2328	587	682	1748	440	512
AMA0600172034	600	1720	70	560	34	1575	440	14,1	8,7	2962	746	868	2223	560	651
AMA0750172034	750	1720	80	710	34	1575	590	16,7	10,3	3597	906	1054	2701	680	791

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

AMAZON












carisa
design radiator

The contents of this document are property of Termosan® and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com
info@termosan.com



Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity
	W	H	D	C		S	L		
AMA0600068814	600	688	70	560	14	545	440	5,8	3,6
AMA0750068814	750	688	80	710	14	545	590	6,9	4,2
AMA0600111822	600	1118	70	560	22	975	440	9,1	5,7
AMA0750111822	750	1118	80	710	22	975	590	10,1	6,7
AMA0600172034	600	1720	70	560	34	1575	440	14,1	8,7
AMA0750172034	750	1720	80	710	34	1575	590	16,7	10,3