

arco





MIRROR, MIRROR ON THE WALL...

...who is the warmest of them all? See things clearly with Arco. Room-filling radiant warmth reflected through true design-beauty. The kind of inspiration you expect from Carisa.





arco



material	finish	electric version	wall installation	warranty
stainless steel steel mirror	satin polished	not available	vertical	5 years

max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"
 middle connection available

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
ARC050018000009	500	1800	120	50	-	1330	350	38	9,1	3333	840	977

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

ARCO









carisa[®]
design radiator

The contents of this document are property of **Termosan**[®] and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com
info@termosan.com



Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity
	W	H	D			S	L		
ARC050018000009	500	1800	120	50	-	1330	350	38	9