


# axel




## FUTURISTIC EXPRESSION

Axel will certainly carry you beyond the moment. With its modern design, it may even be possible to see the reflection of the future in this radiator.





**axel**



| material                 | finish         | electric version | wall installation | warranty |
|--------------------------|----------------|------------------|-------------------|----------|
| stainless steel<br>steel | satın polished | not available    | vertical          | 5 years  |

max. working pressure: 10 bar  
 max. working temperature: 95°C  
 all dimensions are in mm.  
 connections 1/2"

| Product Code    | Width | Height | Depth | Connection Centers | Tube Quantity | Assembly Axis |     | Weight | Water Capacity | THERMAL POWER |       |      |
|-----------------|-------|--------|-------|--------------------|---------------|---------------|-----|--------|----------------|---------------|-------|------|
|                 | W     | H      | D     | C                  |               | S             | L   | kg.    | lit.           | btu           | k/cal | watt |
| AXE050018001209 | 500   | 1800   | 40    | 500                | 12            | 1580          | 360 | 37,5   | 7,1            | 3263          | 822   | 956  |








Vermogen (Watt) berekend op 75/65/20 graden Delta T50  
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

# AXEL

The contents of this document are property of Termosan® and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com  
info@termosan.com



carisa®  
design radiator

| Product Code    | Width | Height | Depth | Connection Centers | Tube Quantity | Assembly Axis |     | Weight | Water Capacity |
|-----------------|-------|--------|-------|--------------------|---------------|---------------|-----|--------|----------------|
|                 | W     | H      | D     |                    |               | S             | L   |        |                |
| AXE050018001209 | 500   | 1800   | 40    | 500                | 12            | 1580          | 360 | 38     | 7              |