


domino







COME ONE, COME ALL

Carisa is playing games in your bathroom...and, with the Domino, there is plenty enough room (and warmth) for the whole family. Perfect.





domino



material	finish	electric version	wall installation	warranty
stainless steel	satın polished	not available	vertical	10 years

max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"
 middle connection available

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
DOM080012800609	800	1280	50	50	6	1100	460	14,2	10,2	1724	434	505

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

DOMINO







carisa
design radiator

The contents of this document are property of Termosan® and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com
info@termosan.com



Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER ΔT 50°C		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
DOM080012800609	800	1280	50	50	6	1100	460	14,2	10,2	1.724	434	505