

environ





TRIPLE EFFECT

Environ will be the center of attention in your house with its ravishing design. It will enhance the modern look in your room thrice over.





enviro



material	finish	electric version	wall installation	warranty
stainless steel	satın polished	300 W 600 W 900 W	vertical	10 years

max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
ENV040008500209	400	850	160	368	2	430	368	5,3	3	1276	322	374
ENV040013000309	400	1300	160	368	3	880	368	8,2	4,6	1928	486	565
ENV040017500409	400	1750	160	368	4	1330	368	11,2	6,1	2577	649	755

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

ENVIRON










carisa
design radiator

The contents of this document are property of Termosan® and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com
info@termosan.com



Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity
	W	H	D	C		S	L	kg.	lt.
ENV040008500209	400	850	160	368	2	430	368	5,3	3
ENV040013000309	400	1300	160	368	3	880	368	8,2	4,6
ENV040017500409	400	1750	160	368	4	1330	368	11,2	6,1