



RECIRCULATE THE WARMTH

Keep your towels soft and cozy with radiant warmth that circulates and recirculates. Nothing escapes the Exodus from Carisa.





exodus

material	finish	electric version	wall installation	warranty
stainless steel	satin polished	not available	vertical	10 years

max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"
 middle connection available

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
EXO056011700709	560	1170	70	50	7	600	500	13	10	1515	382	444

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

EXODUS








carisa[®]
design radiator

The contents of this document are property of **Termosan**[®] and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com
info@termosan.com



Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity
	W	H	D	C		S	L	kg.	lt.
EXO056011700709	560	1170	70	50	7	600	500	13	10