

# rapsody



## PLANE WARMTH




Planar surfaces, with the warm rails hidden in the interiors. Comes in a variety of choices in finishes. Rapsody will help to generate a casual interior.



technical specs page 128



**rapsody**



material	finish	electric version	wall installation	warranty
steel	RAL painted	900 W	vertical horizontal	5 years

max. working pressure: 10 bar  
 max. working temperature: 95°C  
 all dimensions are in mm.  
 connections 1/2"

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
RAP050018001009	500	1800	52	468	10	320	1670	28,2	10,1	3516	886	1030



Vermogen (Watt) berekend op 75/65/20 graden Delta T50  
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

# RAPSODY





The contents of this document are property of **Termosan**® and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com  
info@termosan.com



X 4 Pcs.



**carisa**®  
design radiator

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity
	W	H	D	C		S	L	kg.	lt.
RAP050018001009	500	1800	35	468	10	300	1680	28,2	10,1