


sahara




THE CHARM OF THE DESERT

Mirages of the desert,
shimmering waves of heat
to dry your bath towels.
The charm of the desert
welcomes you with all its
warmth. Here is Sahara.





sahara



material	finish	electric version	wall installation	warranty
stainless steel	satin polished	600 W 900 W 1200 W	vertical	10 years

max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
SAH050007901409	500	790	52	380	14	650	380	10,7	3,3	2276	574	667
SAH050011902009	500	1190	52	380	20	1050	380	16,2	4,9	3294	830	965
SAH060007901409	600	790	52	480	14	650	480	12,4	3,7	2621	660	768
SAH060011902009	600	1190	52	480	20	1050	480	18,4	5,4	3788	955	1110

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

SAHARA





carisa[®]
design radiator


The contents of this document are property of Termosan[®] and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com
info@termosan.com






Side View



Bottom View

Top View



Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity
	W	H	D	C		S	L	kg.	lt.
SAH050007901409	500	790	52	380	14	650	380	10,7	3,3
SAH050011902009	500	1190	52	380	20	1050	380	16,2	4,9
SAH060007901409	600	790	52	480	14	650	480	12,4	3,7
SAH060011902009	600	1190	52	480	20	1050	480	18,4	5,4