




PLAIN BEAUTY

Another model that contains steel radiator maintaining a soft look but an effective heat. Trojan, is the choice of casual home or office builders. Less is more!





trojan



material	finish	electric version	wall installation	warranty
stainless steel steel	satın polished	900 W 1200 W	vertical	5 years

max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
TRJ040018000009	400	1800	35	360	-	1470	200	24,4	8,2	2879	725	843
TRJ040020000009	400	2000	35	360	-	1645	200	27,2	9,2	3227	813	945
TRJ050018000009	500	1800	35	460	-	1470	300	29,1	9,8	3508	884	1028
TRJ050020000009	500	2000	35	460	-	1645	300	32,4	10,9	3934	991	1153

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26

TROJAN









carisa[®]
design radiator

The contents of this document are property of **Termosan**[®] and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.

www.carisa.com.tr

www.termosan.com
info@termosan.com



x4 Pcs.

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight kg.	Water Capacity lt.
	W	H	D	C		S	L		
TRJ040018000009	400	1800	35	360	-	1470	200	24,4	8,2
TRJ040020000009	400	2000	35	360	-	1645	200	27,2	9,2
TRJ050018000009	500	1800	35	460	-	1470	200	29,1	9,8
TRJ050020000009	500	2000	35	460	-	1645	200	32,4	10,9