







KEEN INTELLIGENCE

The design gives steel a different essence and with the combination of aesthetic beauty and intelligence, Troy is re-conquered.





troy



material	finish	electric version	wall installation	warranty
stainless steel	satın polished	900 W	floor standing	10 years

max. working pressure: 10 bar
 max. working temperature: 95°C
 all dimensions are in mm.
 connections 1/2"

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity	THERMAL POWER		
	W	H	D	C		S	L	kg.	lt.	btu	k/cal	watt
TRO060009201009	600	920	203	540	10	570	870	13,2	5,9	2713	684	795

Vermogen (Watt) berekend op 75/65/20 graden Delta T50
 Bij 90/70/20 graden vermenigvuldig het vermogen met 1.26







TROY



carisa[®]
design radiator

The contents of this document are property of Termosan[®] and should not be copied, reproduced or disclosed to a third party without written consent of the proprietor.


www.carisa.com.tr



Bottom View



x8 Pcs.



x8 Pcs.

Product Code	Width	Height	Depth	Connection Centers	Tube Quantity	Assembly Axis		Weight	Water Capacity
	W	H	D	C		S	L	kg.	lt.
TRO060009201009	600	920	203	540	10	570	875	13	6

www.termosan.com
info@termosan.com